

**First Name**

**Last Name**

**Date**

1= No Experience 2= Intermittent Experience 3=Experienced

**Levels of Experience**

**1**

**2**

**3**

**I. Special Therapeutic Nursing Care**

Administration of Rectal Suppositories

Application of Leg Bag

Application of Polyurethane Dressing for Partial Thickness Wound

Application of Transparent Wound Dressings

Application of Unna Boot

Arteriovenous Fistula & Shunt Dressing Change

Assessment & Management of Open Wounds

Blood Glucose Testing Devices

Care of Gastrostomy Tube

Catheter Care

Catheterization

Cleansing Enema

Colostomy Irrigation

Condom Cath. Application

Continuous Bladder Irrigation

Dry Sterile Dressing

Enteral Feedings

Fleets Enema

Insertion of Rectal Tube

Insertion of Gastrostomy Tube

Insertion of Suprapubic Catheter

Intermittent Bladder Irrigation or Instillation

Manual Removal of Fecal Impaction

Nasogastric Tube Placement

Oil Retention Enema

Oral and Nasopharyngeal Suction

Ostomy Care

Patency Assessment of Arteriovenous Fistula

Seizure Precautions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Specific Gravity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sterile Scrub Sponges	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Suprapubic Catheter Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Suctioning of the Tracheotomy Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Suture Removal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tracheotomy Care	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vaginal Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vaginal Pack Removal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wet Sterile Dressing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Catherization for PVR	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wound Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>II. Line Therapy</b>			
Administration of Medications through Groshong Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Application of Extension Tubing to Hickman or Broviac Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Blood Administration	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cap Change for Hickman or Broviac Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Central Line Dressing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dressing Change to Groshong Catheter Site	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hickman or Broviac Catheter Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Home Antibiotic Therapy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Home Chemotherapy Administration	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Injection Cap to Groshong Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
IV Therapy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irrigation of Heparin Lock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irrigation of Groshong Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
IV Gamma Globulin Administration	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Medication Administration via Epidural Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Obtaining Blood Specimens from a Hickman or Broviac Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
PICC Lines	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Port A Cath System	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Refill of Insaid Pump	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Total Parenteral Nutrition and Lipids	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Use of Groshong Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Withdrawal of Blood Samples from Groshong Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>III. Eyes, Ears, and Throat</b>			
Instillation of Ear Drops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instillation of Eye Drips	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instillation of Nose Drops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irrigation of the Ear	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Irrigation of the Eye	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>IV. Orthopedic Care</b>			
Application of Arm Sling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care following total hip replacement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care following total knee replacement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>V. Medications</b>			
Abdominal Subcutaneous Injection of Heparin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Administration of Medication via NG Gastrointestinal Tube	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Administration of Potassium via IV Infusion	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aerosolized Pentamidine for Treat and Prophylaxis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intermittent Intravenous Medications	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intramuscularly Injections	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intramuscularly Injections Compatibility	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Medication Errors	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Z-Track Intramuscularly Injections	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>VI. Diagnostic Test</b>			
Collection of Clean Cath Midstream Urine Specimen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Collection of Culture Specimen from Wound or Orifice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Collection of Sterile Urine Specimen from A Foley Catheter	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Collection of Urine from Urostomy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gastric Analysis	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intermittent Self Catherization Using a clean technique	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Specific Gravity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Testing for Occult Blood	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Urine Testing for Glucose and Ketones	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Venipuncture for Blood Specimen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>VII. Oxygen Therapies in the Home</b>			
Home Respiratory Therapy Program Arterial Blood Gas Samples	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Intermittent Positive Pressure Breathing Therapy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oxygen Safety	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oxygen Therapy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Postural Drainage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>VIII. Miscellaneous</b>			
Bedside Commode	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bladder Training	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bowel Training	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Patient with Angina Pectoris	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Patient with Artificial Pacemaker	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Patient with CHF	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Patient Hearing Impairment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Patient with Plaster Cast	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Patient with Visual Impairment	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of Diabetic Patient	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of the Hemodialysis Patient	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of the Patient with Acute Myocardial Infarction	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Care of the Patient with Hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Collection of stool specimen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Collection of sputum specimen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Patient Safety	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Perineal Care Procedure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Prevention and Care of Decubitus Ulcers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Prevention of Pressure Ulcers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Solutions for Dilutions, Reconstitutions, and Irrigations	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Storage of Pharmaceuticals or Other Chemicals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Teaching Self Injections of Insulin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Universal Precautions	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Management of Soiled Linen	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Additional Skills & Comments			